Applicants: GÖPFERICH, Achim et al. Att. Docket MB9962P

U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

Amendments to the Claims

Listing of the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

(Currently Amended) A <u>linear block copolymer</u>, comprising the structure c2)-b)-c1)-a), wherein:

the a) is a hydrophobic biodegradable polymer a), the hydrophobic polymer a) being selected from one or more of polylactide, polyglycolide, and poly(lactide-co-glycolide), poly- β -hydroxybutyrate and poly- β -hydroxybutyrate; and

the b) is a hydrophilic polymer b) comprising polyethylene glycol, the hydrophilicpolymer having at least one reactive group e), the at least one reactive group e) comprising;

the c1 is a first functional end group c1) bound directly to the hydrophobic polymer a);
and

the c2 is a second functional end group c2) for binding of a surface-modifying substance d) to the hydrophilic polymer b) either directly or by way of an at least bifunctional molecule.

- (Previously Presented) The block copolymer of Claim 1, wherein the-first functional end group is an end hydroxyl group and the second functional end group is a primary amino group.
- (Previously Presented) The block copolymer of Claim 2, wherein the hydrophilic polymer b) is poly(ethylene glycol) amine (PEG-NH2).
 - 4. Cancelled.

Att. Docket MB9962P

Applicants: GÖPFERICH, Achim et al. U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

5. (Previously Presented) The block copolymer of Claim I, wherein the hydrophilic polymer b) is at least one polymer selected from the group consisting of polyethylene glycol, polypropylene glycol, polyethylene glycol/polypropylene glycol copolymer, polyethylene glycol/polypropylene glycol/polypropylene glycol/polypropylene glycol, polybutylene glycol, polyacrylamide, polyvinyl alcohol, polysaccharide, peptide and protein.

6-8 Cancelled

- (Previously Presented) The block copolymer of Claim 1, wherein the polyethylene glycol has a molar mass in a range of 200 to 10,000 Da.
- (Previously Presented) The block copolymer of claim 1, wherein the hydrophobic polymer a) is polylactide with a molar mass in a range of 1,000 to 100,000 Da.
- (Previously Presented) The block copolymer of claim 1, wherein the surface of the block copolymer is characterized by bound surface-modifying substances d).
- 12. (Withdrawn) The block copolymer of Claim 1, wherein the block copolymer additionally contains at least one surface-modifying substance d), wherein substance d) is bonded to the hydrophilic polymer b) by means of the reactive group c).
- 13. (Withdrawn) The block copolymer of Claim 12, wherein the substance d) is at least one substance selected from a carbohydrate, peptide, protein, heteroglycan, proteo-glycan, glycoprotein, amino acid, fat, phospholipid, glycolipid, lipoprotein, medicinal agent, antibody, enzyme, DNA/RNA, a cell, dye and molecular sensor.

Applicants: GÖPFERICH, Achim et al. Att. Docket MB9962P

U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

(Previously Presented) A shaped body formed from the block copolymer of

15. (Previously Presented) The shaped body of Claim 14, wherein the shaped body is a

film, particle, three-dimensional body, porous body or a sponge.

16. (Withdrawn) The use of a block copolymer according to Claim 1 for the production of drug-targeting systems, drug-delivery systems, bioreactors, for therapeutic and

diagnostic purposes, for tissue engineering and as emulsifier.

17. (Withdrawn) The process for the production of a block copolymer of Claim 12, wherein the at least one substance d) is converted with a block copolymer according to Claim 1, wherein the block copolymer is present in solution or in the solid phase.

18. (Withdrawn) The process according to Claim 17, wherein for binding the at least one substance d), the block copolymer according to Claim 1 is used in the form of a porous

shaped body.

19. (Withdrawn) The process for the production of a block copolymer according to

Claim 12, wherein in a first stage, the substance d) is provided with a reactive group c) and in a second stage, the complex composed of substance d) and reactive group e) is bonded by means of the reactive group c) to the hydrophilic polymer b) of a block copolymer composed of a

hydrophobic polymer a) and a hydrophilic polymer b).

nydrophoole porymer a) and a nydrophine porymer o).

20. (Withdrawn) The process for the production of a block copolymer according to

Claim 12, wherein the binding of the at least one substance d) to the surface of the block

Page 4 of 11

Applicants: GÖPFERICH, Achim et al. U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019.797

co-polymer is achieved by generating a substrate pattern, and the reactive group c) is selected from 1) an at least bifunctional molecule with at least one free functional group and/or 2) a functional group.

- 21. (Withdrawn) The process according to Claim 20, wherein the substance d) is applied with a locally constant or variable concentration by means of the reactive group c) on the surface of a block copolymer containing a hydrophobic component a) and hydrophilic component b).
- 22. (Withdrawn) The process according to Claim 20, wherein for binding the reactive group c) and/or the substance d) in a substrate pattern, the surface of the block copolymer is structured by a plotter, an ink jet printer, radiation with light, bombardment with particles, stamping or soft lithography.
- 23. (Withdrawn) The process for the production of a block copolymer according to Claim 13, wherein in a first stage, the substance d) is provided with a reactive group c) and in a second stage, the complex composed of substance d) and reactive group c) is bonded by means of the reactive group c) to the hydrophilic polymer b) of a block copolymer composed of a hydrophobic polymer a) and a hydrophilic polymer b).
- 24. (Withdrawn) The process for the production of a block copolymer according to Claim 17, wherein in a first stage, the substance d) is provided with a reactive group c) and in a second stage, the complex composed of substance d) and reactive group e) is bonded by means of the reactive group c) to the hydrophilic polymer b) of a block copolymer composed of a hydrophobic polymer a) and a hydrophilic polymer b).

Att. Docket MB9962P

Applicants: GÖPFERICH, Achim et al. U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

25. (Withdrawn) The process for the production of a block copolymer according to Claim 18, wherein in a first stage, the substance d) is provided with a reactive group e) and in a second stage, the complex composed of substance d) and reactive group e) is bonded by means of the reactive group c) to the hydrophilic polymer b) of a block copolymer composed of a hydrophobic polymer a) and a hydrophilic polymer b).

- 26. (Withdrawn) The process for the production of a block copolymer according to Claim 13, wherein the binding of the at least one substance d) to the surface of the block co-polymer is achieved by generating a substrate pattern, and the reactive group c) is selected from 1) an at least bifunctional molecule with at least one free functional group and/or 2) a functional group.
- 27. (Withdrawn) The process for the production of a block copolymer according to Claim 17, wherein the binding of the at least one substance d) to the surface of the block co-polymer is achieved by generating a substrate pattern, and the reactive group c) is selected from 1) an at least bifunctional molecule with at least one free functional group and/or 2) a functional group.
- 28. (Withdrawn) The process for the production of a block copolymer according to Claim 18, wherein the binding of the at least one substance d) to the surface of the block co-polymer is achieved by generating a substrate pattern, and the reactive group c) is selected from 1) an at least bifunctional molecule with at least one free functional group and/or 2) a functional group.

Att. Docket MB9962P

Applicants: GÖPFERICH, Achim et al. U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

29. (Withdrawn) The process according to Claim 26, wherein the substance d) is applied with a locally constant or variable concentration by means of the reactive group c) on the surface of a block copolymer containing a hydrophobic component a) and hydrophilic component b).

- 30. (Withdrawn) The process according to Claim 27, wherein the substance d) is applied with a locally constant or variable concentration by means of the reactive group c) on the surface of a block copolymer containing a hydrophobic component a) and hydrophilic component b).
- 31. (Withdrawn) The process according to Claim 28, wherein the substance d) is applied with a locally constant or variable concentration by means of the reactive group c) on the surface of a block copolymer containing a hydrophobic component a) and hydrophilic component b).
- 32. (Withdrawn) The process according to Claim 21 wherein for binding the reactive group c) and/or the substance d) in a substrate pattern, the surface of the block copolymer is structured by a plotter, an ink jet printer, radiation with light, bombardment with particles, stamping or soft lithography.
- 33. (Previously Presented) The block copolymer of Claim 1, wherein the hydrophobic polymer a) is polylactide with a molar mass greater than 1,000 Da.
- 34. (Previously Presented) The block copolymer of Claim 1, wherein the hydrophobic polymer a) and/or hydrophilic polymer b) are selected from the group consisting of a linear polymer, a branched polymer, and combinations thereof.

Applicants: GÖPFERICH, Achim et al. Att. Docket MB9962P

U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

35. (Previously Presented) The block copolymer of claim 1, wherein the hydrophobic polymer a) is at least one polymer selected from the group consisting of polyester, poly-ε-caprolactam, poly-α-hydroxyester, poly-β-hydroxyester, polyamide, polyphosphazene, polyanhydride, polydioxanon, polymalic acid, polytartaric acid, polyorthoester, polycarbonate, peptide, polysaccharide and protein.

- 36. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for binding of a surface-modifying substance d) to the hydrophilic polymer b) either directly or by way of an at least bifunctional molecule with at least one free functional end group.
- 37. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for binding of a surface-modifying substance d) to the hydrophilic polymer b) either directly or by way of an at least bifunctional molecule, the at least bifunctional molecule having at least one free functional end group that is bound or suitable for being bound with the surface-modifying substance d).
- 38. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for covalent binding of a surface-modifying substance d) directly to the hydrophilic polymer b).
- 39. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for covalent binding of a surface-modifying substance d) to the hydrophilic polymer b) by way of an at least bifunctional molecule, the at least bifunctional molecule having at least one free functional end group that is bound or suitable for being bound with the surface-modifying substance d).

Att, Docket MB9962P

Applicants: GÖPFERICH, Achim et al. U.S. National Phase of PCT/EP 00/06313

Serial No: 10/019,797

40. (Previously Presented) The block copolymer of Claim 39, wherein the least one free functional end group is different from the second functional end group.

- 41. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for covalent binding of a surface-modifying substance d) to the hydrophilic polymer b) by way of an at least bifunctional molecule, the at least bifunctional molecule having at least one free functional end group that is not bound but suitable for being bound with the surface-modifying substance d).
- 42. (Previously Presented) The block copolymer of Claim 41, wherein the least one free functional end group is different from the second functional end group.
- 43. (Previously Presented) The block copolymer of Claim 1, wherein the second functional end group is for binding of a surface-modifying substance d) to the hydrophilic polymer b) by way of an at least bifunctional molecule, the at least bifunctional molecule having at least one free functional end group that is covalently bound to the surface-modifying substance d).
- 44. (Previously Presented) The block copolymer of Claim 43, wherein the least one free functional end group is different from the second functional end group.
 - 45-59. Cancelled.